

Department of Public Works BUREAU OF UTILITIES

Art Shapiro, Bureau Chief

ASHLEIGH KNOLLS WASTEWATER COLLECTION TREATMENT AND DISPOSAL SYSTEM

USER MANUAL COUNTY-OWNED SEPTIC TANK

Revised: April 2021

I. INTRODUCTION

This booklet provides information for the user of the new wastewater treatment and disposal system for the Ashleigh Knolls subdivision. Included are descriptions and specific instructions for the proper use and maintenance of the County-owned individual septic systems for homeowners of Ashleigh Knolls. The Howard County Department of Public Works encourages citizen participation ad questions through the Bureau of Utilities, telephone number: 410-313-4900.

The wastewater management plan combines a unique system of wastewater management, for example:

- individual septic tanks for homes
- wastewater management whereby septic waste will be moved by pump to the shared leachfield for treatment and ultimate disposal by soil absorption.

The unique wastewater treatment and disposal system combines individual septic tanks for each home with a community disposal area wherein septic waste is pumped to the community subsurface disposal area for treatment and ultimate disposal by subsurface soil absorption.

Implementation of the Ashleigh Knolls Subdivision is now underway through construction of new systems. The following System User's Guide provides valuable information to you. A feature of the Ashleigh Knolls system is that every home has a septic tank somewhere on the property. It will be maintained by the Department of Public Works, but we need your help.

II. A GUIDE FOR THE SEPTIC SYSTEM USER

Review this User's Manual carefully, and please follow this list of Do's and Don'ts

IMPORTANT NOTE: You do NOT need to add any agents or treatment chemicals to the septic tank to assist its natural bacteriological process. Adding chemicals may only interfere with the natural function of your septic system.

DON'T DO Familiarize yourself with the location of the DON'T attempt to enter the septic tank or pump following objects on your property: chamber. emergency contact phone number – this can be found on the cover of the pump DON'T try to service the pump control or electrical control panel, it is 410-313-4900 disconnect panels. pump control panel electrical disconnect panel DON'T subject the septic tank area, curbstop valve box, or sewer cleanout standpipe to vehicular septic tank and risers(slate squares) traffic, or place any permanent construction over curb stop valve box these items. Weight can damage your septic sewer standpipe cleanouts system. well for drinking water DON'T build or plant near or around the septic Call 410-313-4900 if the alarm control light or tank, curbstop valve box, sewer cleanout standpipe, buzzer should go off. County personnel will pump control and electrical disconnect panels. service all equipment, making emergency calls when needed. However, plumbing from the DON'T dig in the septic or electrical and control house to the septic tank is the responsibility of panel areas, either with equipment or by hand, the homeowner to maintain and repair. When without first contacting the Department of Public the alarm sounds, water use can be continued for Works. several hours if the quantity is restricted. DON'T connect, tie in, or divert any gutter Leave the area over and around the septic system downspout, surface runoff water, storm water, open and free of obstruction. This should also basement sump pumps, or well water include the area around the pump control panel treatment/softener system backwash to the septic and electrical disconnect panel. system. Hook up "domestic wastewater" only to the DON'T block or restrict access to the septic tank, gravity sewage collection discharge from your cleanout standpipe, curbstop valve box, or home. If it doesn't come from washing or using electrical and pump control panels. the toilet, don't put it into the septic system.

II. A GUIDE FOR THE SEPTIC SYSTEM USER

III. SHARED LEACHFIELD

The sewage treatment and disposal area, located beyond the end of Helmsdale Court, is the final discharge point for the wastewater. All discharge occurs underground, and the area above is designated as a preservation parcel. While this natural area is to be enjoyed for its variety of plants and wildlife, the active portion of the disposal area is a "no trespassing" area due to the variety of exposed pipes above ground.

CONCLUSION

If you would like more information on your septic tank, the Ashleigh Knolls system, or about any of our clean water programs, the Howard County Department of Public Works will be happy to answer questions. *Write* the Bureau of Utilities, Howard County Department of Public Works, 8270 Old Montgomery Road, Columbia, MD 21045, *or* call 410-313-4900.